


Suicides of Children (less than 18 years old) 2024 through 9/15/24


Sex	Race	5 CT Designation	Season of Death	Age at time of Death
M	Indian/Asian	Suburban	Winter	16-17
M	Black	Urban core	Spring	13-15
M	White	Rural	Spring	13-15
M	White	Suburban	Summer	13-15
M	White	Urban periphery	Summer	16-17
F	Hispanic/White	Suburban	Summer	16-17
M	White	Rural	Summer	13-15
M	White	Wealthy	Summer	16-17
F	White	Suburban	Summer	16-17
F	Hispanic/White	Suburban	Summer	16-17
F	Hispanic/White	Suburban	Summer	16-17
F	Hispanic/White	Suburban	Summer	16-17

Suicides by Age in CT, Children 17 and under




Suicides of Children 2021-9/25/24, N=42




By Race:




By Gender:



CT Suicide Data 2018-22, 0-17 Year Olds (N=49)



Rates of Suicidal Ideation/Self Harm



Children's hospital suicide-self injury ED cases by year. Source: Pediatric Health Information System (PHIS)

As reported by DPH Injury Prevention Data, from 8/1/23 to 7/31/24 in CT:

16.7

children per day were treated for suicidal ideation or self harm

BY THE NUMBERS

6,500

10 to 24-year-olds die by suicide each year

2 million

adolescents attempt suicide each year

20%

of high schoolers say they think seriously about suicide

3 Step Theory of Suicide

Klonsky ED, Pachkowski MC, Shahnaz A, May AM. The three-step theory of suicide: Description, evidence, and some useful points of clarification. *Prev Med.* 2021 Nov;152(Pt 1):106549. doi: 10.1016/j.ypmed.2021.106549. Epub 2021 Sep 16. PMID: 34538372.

